



KENYA ELECTRICITY GENERATING COMPANY LIMITED

KGN-SEC-06-2017

TENDER FOR DESIGN, CONSTRUCTION, FABRICATION AND INSTALLATION OF SECURITY GATES, FENCES, GRILLS AND BARRIERS AT OLKARIA.

22nd December 2017

ADDENDUM NO. 2 – EXTENSION OF TENDER CLOSING DATE & MASONRY GUARD HOUSE BQ

In accordance with the **TENDER FOR DESIGN, CONSTRUCTION, FABRICATION AND INSTALLATION OF SECURITY GATES, FENCES, GRILLS AND BARRIERS AT OLKARIA.**, KenGen hereby issues Addendum No. 2.

A. EXTENSION OF TENDER CLOSING DATE

INITIAL TENDER CLOSING DATE	NEW TENDER CLOSING DATE
Tender Closing Date: 10 th January 2018 at 10.00AM.	Tender Closing Date: 25 th January 2018 at 10.00AM.
Tender Opening Date: 10 th January 2018 at 10.30AM.	Tender Opening Date: 25 th January 2018 at 10.30AM

B. MASONRY GUARD HOUSES

NOTE

Bidders are required to add item **N - MASONRY GUARD HOUSES (The guardhouses shall be built at OW 37, OW 43 and two at the workshops area.)** as described below:

Item	Description	Unit	Qty	Rate	Amount
N	<p>Supply all materials, Design and Construct a masonry guard house with the following features. Area 40 square meters, concrete slab of 6cubic meters class 20/25.Ceramic tiles area 160 square meters on both floor and the walls. The paint shall be in 3 coats 1st quality covering an area of 960sqm. The guard house shall have aseptic tank of 120cum capacity. The guard house shall have 2No solid wooden doors, of 2.1m high and 900mm wide mortise locked.2no flush solid doors for the toilets and 1Nosteel door for the main entrance. A sample shall be approved by the client before fixing. connection to water from existing waterline 100m away from the guard house and associated plumbing works. The guard house shall have 2No casement windows of 3mX1.5m and 2No 1m X 0.6m for the toilet. The guard house shall be fixed with rain water collection system and a reinforced concrete flat roof able to support a 2000l plastic water tank. Supply a 2000l plastic water tank to Project Manager's approval. The tank shall be connected to the toilet and wash hand and the rate shall include all the plumbing works involved. Commencement of works. Allow for hoarding.</p> <p>The guardhouses shall be built at OW 37, OW 43 and two at the workshops area.</p>	No	4		

ACKNOWLEDGEMENT OF ADDENDUM NO.2

We, the undersigned hereby certify that the Addendum is an integral part of the document and the alterations set out in clarification has been incorporated in the Request for Proposal.

Signed

Tenderer